

Rubber Antenna for Portable Equipment in the 70 cm Band

DESCRIPTION

- Sturdy, conical, flexible rubber antenna.
- Full size  $\frac{1}{4} \lambda$  whip.
- Highest quality materials – designed for “wear and tear”.
- Delivered factory tuned and tested to ensure minimum SWR.
- Especially designed for Motorola GP 300, GP 344, GP 360 and GP 388 (450 MHz band) etc.

SPECIFICATIONS

Electrical	
Model	GA 70/...-GP 300
Frequency	70 cm band covered by three models
Antenna Type	Antenna for portable equipment
Polarisation	Vertical
Impedance	50 $\Omega$
Gain	0 dB (compared to a $\frac{1}{4} \lambda$ portable antenna)
Maximum Input Power	100 W

Mechanical	
Connection(s)	1/4"-32 UNEF
Materials	Steelwire moulded in thermoplastic rubber Weather- and shockproof plastics Black-chromed brass Cu-nite brass
Colour	Black
Height	140 mm / 5.51 in.
Weight	0.03 kg / 0.07 lb

ORDERING

Type	Product No.	Frequency
GA 70/s-GP 300	140000368	380 - 430 MHz
GA 70/l-GP 300	140000304	400 - 450 MHz
GA 70/h-GP 300	140000305	420 - 470 MHz



DIAGRAM

TYPICAL SWR CURVE

